

AUTO BAG MAGNUM HORIZONTAL MAIL ORDER PACKAGING SYSTEM



Product Description

Works with Pre-Made Poly Mailers and Poly Tubing

The Auto Bag Magnum Horizontal Mail Order Fulfillment Automatic Bagger is a poly mailer packaging system that works with coex poly tubing and pre-made coex poly mailers on a roll. Using poly tubing allows for changing bag length on the fly, resulting in reduced shipping and material costs.

Simplify Packaging by Applying the Label Directly on the Bag

The Auto Bag Magnum Horizontal Mail Order Fulfillment Automatic Bagger which does not require a printer ribbon offers a label printer applicator to create a fully integrated mail-order fulfilment bag packaging solution. Moreover, this automatic bagger for poly mailer packaging can be outfitted with a dual-sided label printer applicator to include the shipping information and packing slip on a single label, simplifying the packaging process as there is no need to wait for and place the packing slip directly inside the poly mailer bag.

An Ergonomic Packaging System with a Small Footprint

By loading the product horizontally, this poly mailer packaging system provides a more ergonomic packing system for operators. With a horizontal load layout and an integrated conveyor, the footprint is significantly smaller than vertical load systems.

Industries Served

- Automotive
- Cosmetics
- Electronics
- Healthcare
- Logistics
- Shipping



STREAM PEAK INTERNATIONAL PTE LTD
Tel: +65 6610 7921 | Fax: +65 6862 2520
Email: enquiry@streampeak.com.sg

Valuing Relationships, Protecting Goods
Address: 26 Tuas South Street 3, S(638026)
Website: www.streampeak.com.sg

A Complete Mail Order Packaging System for Poly Mailers

Made in the USA, the Auto Bag Magnum Horizontal Order Fulfillment Automatic Bagger includes a 1-year limited warranty which is extendable up to 5 years when exclusively using Rollbag brand coex poly mailer bags on a roll or poly tubing, as well as labels. This mailing system for poly mailer packaging is the best fit for industries such as e-commerce, order fulfilment and distribution facilities that require the maximum level of performance in their poly mailer packaging operation.

Operating Benefits

- Works with poly tubing as well as pre-made poly mailers on a roll for maximum flexibility
- Horizontal load configuration for improved packing ergonomics
- Lower material and shipping costs when using poly tubing by making bags inline before they are filled and sealed
- The wide colour touchscreen is operator friendly and has clear readable prompts and alarms
- Two-foot long outfeed conveyor for conveying product to the next step in the fulfilment process
- Large diameter rolls and variable bag length enables the machine to package products of practically any length
- Integrated label printer applicator ties into the warehouse management system to print the shipping label directly on the outside of the bag

Maintenance Benefits

- Designed to minimize preventative maintenance costs by using off-the-shelf components
- Self-diagnostics ensure quick problem solving
- Warranty extendable up to 5 years when exclusively using Auto Bag brand material and labels

Safety Benefits

- Store different bag length settings for quick job set-up
- Stand with casters and a compact design provides portability
- Quick roll change feature to facilitate easy and fast changeover



Safety Benefits

- Low-pressure closing with an obstruction detection system for improved operator safety
- Safety light curtains for added safety during loading (optional)
- Designed to meet CE requirements

Printing Options

- TwinPrint dual sided label printer applicator to include the shipping information and packing slip on a single label
- Print Registration – for use with pre-printed poly tubing that uses registered print

Product Loading Options

- Easy Load Bag Opener – squares the bag open for loading as well as pulls the seal flat prior to sealing
- 6.25" Seal Bar Pass Through – 2.25" wider pass through than the standard 4"

Sealing Options

- 15" Bag Width – for sealing bags up to 15" wide
- Articulating guide arms – assist in product loading
- Longer exit conveyor – extend the take-away conveyor from the standard 2' length
- Extended loading area – extend the loading area to a custom length

Safety Options

- Audible Warning System – when the PLC detects an error an audible alarms sounds and the machine stops
- Dual Palm Buttons – two buttons that must be pressed simultaneously in order for the machine to cycle
- Light Curtain – prevents the operation of the bagger when the optical detection field is obstructed



Other Options

- Adjustable Hole Punch – pneumatic punch that puts a small hole in the bag, allowing for excess air to escape
- End of Roll Detector – used to monitor when bags are in position and when the end of a roll has been reached
- Bag Open Sensor – assures that when a bag is in the load position it is open and ready to accept product

Product Specifications

Technical Specifications	
Speed (Bags)	Up to 40 bags/min
Speed (Poly Tubing)	Up to 20 bags/min
Feed Rate	Up to 40 "/sec
Bag Width	2" - 13" (15" optional)
Bag Length	2" - 96"
Bag Thickness	1mil - 5mil
Electrical Requirement	120V @ 20A
Air Requirement	80psi @ 5 CFM
Warranty	1 year, extendable to 5 years
Origin	Made in the USA

Related Products



Auto Bag R785
Automatic Bagger



Auto Bag R1075
Automatic Bagger



Auto Bag Magnum
Horizontal Automatic Bagger



Auto Bag 575B
Fulfillment Bagger

